



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Vessels sailing from Naples.

Dr. Geddings further reported:

On August 25 the steamships *America* and *Verona* sailed from Naples for New York; on August 26 the *Roma* and *Mendoza* for New York and the *Romanic* for Boston.

JAPAN.**Typhoid Fever and Dysentery.**

Surg. Irwin at Yokohama reports, August 8:

An epidemic of typhoid fever is reported in the Province of Yamagata in the northeastern part of the mainland of Japan. On July 28 there were 168 cases present. From January 1 to date there have been 1,095 cases, including 448 cases in the district of Akumigun, with 155 deaths. (Population, 829,210.)

From January 1 to July 20, 1911, there were reported in the Empire of Japan 7,889 cases of typhoid fever and 1,841 cases of dysentery.

On August 14 Dr. Irwin further reported:

Dysentery is reported as prevalent in the prefecture of Chiba. From the beginning of the outbreak there have been 114 cases, with 21 deaths. The disease is epidemic in Higashi-Katsushika district. To August 7, 40 cases were reported.

The population of Chiba prefecture is 2,273,389.

Acting Asst. Surg. Moore, at Kobe, reports August 2:

During the week ended July 29, 33 deaths from dysentery were reported in this prefecture.

MANCHURIA.**Dalny—Cholera.**

The American consul reports September 1 the presence of cholera at Dalny.

MEXICO.**Merida—Yellow Fever.**

The American vice consul at Progreso reports September 2:

Official reports show the occurrence of yellow fever at Merida as follows: On August 25, 29, 30, and 31 and September 1, one death each. Confirmed cases of yellow fever were reported as follows: August 23, 1 case; August 29, 5 cases; August 30, 1 case; August 31, 2 cases.

VENEZUELA.**Plague and Yellow Fever at Caracas.**

Acting Asst. Surg. Stewart, at La Guaira, reports August 23:

During the week ended August 5, 1 case of plague and 1 case of yellow fever occurred at Caracas.